

882 CHAMBERS AVENUE
EAGLE, CO 81631

MINOR DEVELOPMENT
PERMIT SUBMITTAL PACKAGE

PREPARED AND SUBMITTED BY:
MICHAEL MOOTZ
(970) 331-4180

Project		Catalog #		Type	AA
Prepared by		Notes		Date	



McGraw-Edison

GALN Galleon II

Area / Site Luminaire

Product Features



Product Certifications



Interactive Menu

- Ordering Information [page 2](#)
- Mounting Details [page 3](#)
- Optical Distributions [page 5](#)
- Product Specifications [page 5](#)
- Energy and Performance Data [page 6](#)
- Control Options [page 10](#)

Quick Facts



- Lumen packages range from 3,300 - 73,500 (33W - 552W)
- 16 optical distributions
- Efficacy up to 159 lumens per watt

Connected Systems

- WaveLinX Lite
- WaveLinX

Dimensional Details

Standard Arm




Number of Light Squares	Width "A"	Housing Length "B"	Weight with Standard or QM Arm	EPA with Standard or QM Arm
1-4	16"	22"	29 lb	0.95
5-6	22"	22"	39 lb	0.95
7-9	22"	28-1/8"	48 lb	1.1

NOTES:
For arm selection requirements and additional line art, see Mounting Details section.

NOTES:
1. Visit <https://www.designlights.org/search/> to confirm qualification. Not all product variations are DLC qualified.
2. IDA Certified (3000K CCT and warmer only, fixed mounting options)

Pole Drilling Patterns

Type "N"



The Gardena

Wall Mount



The go-to for American-made, handcrafted lights.
A family-owned business, comfortable making
things the old fashioned way.

Dome



Mounts



Colors



Galvanized option
not available on
straight arm
mounts

Custom colors are
available for an
additional fee.
Please provide a
RAL number

Parts Included

DOVE: (S16) Standard 16" Dome

MOUNT: Choose between a 11" straight arm, 16" gooseneck, 23" gooseneck, or an upward sloping gooseneck

SOCKET: 120V Medium Base Porcelain Socket and 6ft of Wiring. Comes with a threaded Covernut and Gasket for a secure and water proof seal

MOUNTING HARDWARE: (BP12) Heavy Duty 4" Die Cast Base Plate with Gasket and Screws (fits with a 4" Round Electrical Box)

CUSTOMIZABLE: From the shape and the size to the interior color, you can decide what fits best into your vision and we can make it happen.

ALL-WEATHER: Built to last and withstand any storm the outside - or inside - world throws its way.

STEEL CONSTRUCTION: Expertly spun using 18 gauge steel and strong enough to make a lasting statement.






Features

FAST & FREE SHIPPING: We move quickly so your timelines can too - free shipping within 24 hours in the continental US!

APPLICATION: Beside or above garage doors, decoration along walls or barn walls. Usually used outdoors!



Dimensional Data



Optional Accessories

Electrical Box (RB05): 4" round die cast electrical box which is powder coated to match your fixture.

LED Bulb (LFLA): 800 Lumen Filament LED Medium base screw-in bulb.

6" Mounting Plate (LP12): A larger mounting plate if the standard 4" mounting plate is too small.

Wire Guard (WG16): A matching wire guard that snaps on to the bottom of the fixture. It comes unfinished but can be powder coated upon request.

Choose each item specification to breakdown the SKU numbers for your order below

Ordering Information

	Color	Mount	Color	Mounting Hardware	Color	Electrical Box (optional)	Color	Wire Guard (optional)	LED Bulb (optional)
S16 -	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	00 04	ST11	00 04	BP12 - Standard 4" Mounting Plate	00 04	RB05 - 4" round die cast electrical box	00 04	WG16	LFLA - LED Bulb
	01 06	GB04	01 06	LP12 - Larger 6" Mounting Plate	01 06		01 06		
	1M 08	GB01	1M 08		1M 08		1M 08		
	03	GB05	03		03		03		



BRAND

Kichler

DESCRIPTION



The Cylinder Incandescent Downlight Wall Light features an Architectural Bronze, Black, Brushed Aluminum or White finish. Note: Optional wet location accessory for finished look sold separately.



Shown in: Black

SHADE COLOR	N/A
BODY FINISH	Black
WATTAGE	65W
DIMMER	Standard 120V
DIMENSIONS	4.75"W x 7"H x 7"D
BULB NOT INCLUDED	
LAMP	1 x BR30/Medium (E26)/65W/120V Incandescent 1 x BR30/Medium (E26)/120V LED
ITEM NUMBER	KHR613598

COMPANY	PROJECT	FIXTURE TYPE	APPROVED BY	DATE



**C & C MECHANICAL
BUILDINGS
882 CHAMBERS RD
EAGLE, COLORADO 81631**

AEC PROJECT #: 23022	
DATE:	ISSUE:
05/31/23	PROGRESS
06/16/23	PERMIT
07/17/23	PERMIT WITH SITE

Drawn By:	Checked By:
SOH	AEC

**SITE
ELECTRICAL
PLAN**